



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Ricoh	Logo
Company name *	Ricoh Company Ltd	
Contact information *	Ricoh Europe Plc, 20 Triton Street, London, NW1 3BF,	
e-mail address	United Kingdom	
Internet site *	www.ricoh.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product * Colour Production Printer				
Commercial name *	Pro C5210s			
Model number *	Pro C5210s			
Issue date *	26 <sup>th</sup> January 2017			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Issue date	e * 26 <sup>th</sup> January 2017				
	environmental attributes - Legal requirements	Yes No n.a.			
Item P1					
P1.1*	Hazardous substances and preparations  Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	, , , , , , , , , , , , , , , , , , , ,	X 🗍			
P1.2	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	^ 📙			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	х П			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	~ 🗀			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
	concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	Х			
D4 C*	terphenyl (PCT) in preparations (see legal reference).	th a V			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	the X			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/we	ek X 🗆 🗆			
1 1.0	(see legal reference).	ek /			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	Х			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	Х			
	symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	gal X 🗌 📗			
P2.3*	reference)				
	Batteries and accumulators are readily removable. (See legal reference)  X				
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). X — — — The Declaration of Conformity can be requested at (add link or e-mail address):				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	X 🔲 🔲			
	Required information is; given in item P15 or added to this document,				
	available at (add URL):				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0,01% (see	e X П			
	legal reference and NOTE B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	Х			
	are Community workplace exposure limits, the product/packaging is adequately labeled according to				
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available				
DE	(see legal reference).				
P5	Product packaging	and V			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium a hexavalent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) X used (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montr	real X			
	Protocol (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information	<u>_</u>			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X 🖂 🗂			

Logo

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number \*

Pro C5210s

Model number *	del number * Pro C5210s		
Issue date *	26 <sup>th</sup> January 2017		

	t environmental attributes - Market requirements (See General NOTE GN below)  Environmental conscious design	Require	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 7 years			
P7.10	Service is available after end of production for: 7 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		X	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:	X		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		X	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		X	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		X	
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "		X	
D7 40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		X	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:	Ш	Α	
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6):	X		
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 4.29%.</li> </ul>			
	b) The weight of recycled material is <b>4,655</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	lodel number * Pro C5210s			Logo						
Issue date	ssue date * 26 <sup>th</sup> January 2017									
Product environmental attributes - Market requirements (continued)					Re	qui	remen	t met		
Item								Yes	No.	n.a.
D7 04*			ance requirements (		NOTE D7).					
P7.21*		•	aterial content is used	•	,			X		
			of the two alternatives			ad as a para	antaga of			
			weight) is <b>0.007</b> %.	trie biobaseu piasi	ic material content (calculat	eu as a perce	entage of			
	or									
	b) The	e weight of t	the biobased plastic m	aterial is 3.89g.						
P7.22*			ee from mercury, i.e. le					X		
Do.			pecify: Number of lam	ps: and max	kimum mercury content per l	amp: ı	mg			
P8 P8.1*	Batteries	_	magaition: Manganas	o Diovido Lithium						
P9.1			mposition: Manganes on (See NOTE B8)	e Dioxide Litilium						X
P9.1			following power levels	or energy consum	ptions are reported:					
Energy mo			Power level at	Power level at		Reference/St	andard f	or	energy	
Liloigy illo	uc		100 V AC	115 V AC		modes and to			cricigy	Ш
Sleep mod	e for ENE	RGY	W	W	W					Х
STAR® Op		Mode								
(OM) produ Standby/of		•	W	W	W					Х
ENERGY S			VV	VV	VV					^
Mode (OM)	) products	;								
TEC value		GY STAR	kWh/week	kWh/week	<b>7.586</b> kWh/week					
TEC produ	CIS									
(TEC= Typ		ју								
Operating Mode		W	W	Mono 1437W Colour 1596W Col						
					001041 103011 001					
Ready Mo	de		W	W	<b>203</b> W					
Sleep Mod	le		W	W	0.75 W					
Low Powe	r Mode		W	W	152 W					
			W	W	W					
			W	W	W					
External Po	ower Supp	oly Efficiend	ncy Level (International Efficiency Marking Protocol) * :						X	
	Print/Scan Speed * : 80 images per minute									
Default time to enter energy save mode: 60 minutes				<u> </u>						
	P9.2* Information about the energy save function is provided with the product.									
P10	Emissio Noise er		Declared according to	ISO 0206 (See NC	TE RO					
P10.1	Mode		lode description	130 9290 (See NC	Statistical upper limit A-wei	ahted sound	power leve			
			iodo docompilor.		L <sub>WA,c</sub> (B)	g. nou oouu	poooo	,		
Idle * 36.6 * 4										
	Operatio		69.9			* 7.3				$\dashv$
	Other mo		74.6							
				CMA-74						
		according		(only if not covered	d by ECMA-74)					
	Cities (Siny in flot covered by Leither 17)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur			Logo				
Issue date	ssue date * 26 <sup>th</sup> January 2017						
Product	environ	mental attributes - Market requirements (continued)		Re	quire	ment	met
Item					Yes	No	n.a.
		cal emissions from printing products (See NOTE B10)					
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from E	lectronic		X		
		ent (ISO/IEC 28360), other specify: RAL-UZ171					
P10.3	Typical	emission rate (operation phase) is (mg/h):					Ш
	Electrop	photographic devices: Ozone 1.1 Dust 0.3 Styrene 0.064 Benzene 0.01 TVOC 7.	6				X
	Ink devi	ces: Dust Styrene Benzene TVOC					
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		nable materials for printing products					
P11.1*	A Safet	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see	P4.3).	Χ		
P11.2*	Paper of EN 122	containing post-consumer recycled fibers can be used, provided that it meets the 81.	ne require	ments of	Χ		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			Χ		
P11.4*	The pro	duct is delivered to end-user with default auto-duplex enabled.			Χ	Ħ	
P13	Packag	ing and documentation					
P13.1*							
P13.2*	Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:						
P13.4*	Specify	media for user and product documentation (tick box):					
		nic X Paper X, Other					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:						
	Totally chlorine-free X Elemental chlorine-free  Processed chlorine-free						
P14		ary programs:					
P14.1	The pro	duct meets the requirements of the following voluntary program(s):					
	ENERGY STAR® Criteria version: 2.0 Date: Product category: Production Printer Eco-label: BAM Criteria version: RAL UZ171 Date: Product category: Production Printer Eco-label: Criteria version: Date: Product category:						
P15		nal information (See NOTE B11)					
		pressure level at the operator position [Lpa@dB(A)] by 21.7(db) Operating Mode 54.4 Mono 54.8 Colour(db)					
		· · · · · · · · · · · · · · · · · · ·					

NOTE B10 A Guidance document on Chemical Emissions is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC ( Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1